

# Contents

<i>Preface</i> . . . . .	7
<b>THE NATURE OF FOSSILS (MOORE, FISCHER, LALICKER)</b> . . . . .	1
Requisites of fossilization . . . . .	1
Types of preservation . . . . .	1
<i>Unaltered soft parts—Unaltered hard parts</i> <i>—Altered hard parts—Traces of animals—</i> <i>Distortion and obliteration of fossils</i>	
Diversity of fossils . . . . .	6
Value of fossils . . . . .	7
<i>Stratigraphic indicators—Records of past</i> <i>forms of life—Significance in historical</i> <i>geology</i>	
Kinds of animals and names for them . . . . .	9
<i>Concepts of species and genera—Scientific</i> <i>names of species and genera—Subdivisions</i> <i>of species—Subgenera—Categories of higher</i> <i>rank than genus—Principal divisions of</i> <i>animals</i>	
Adaptation to environment . . . . .	16
<i>Factors in marine environments—Kinds of</i> <i>marine environments—Land environments—</i> <i>Facies fossils</i>	
Development of individual animals . . . . .	22
<i>Kinds of individuals and their associations—</i> <i>Beginning of the individual—Factors in-</i> <i>fluencing development—Nature of growth—</i> <i>Life history</i>	
Evolution of animals . . . . .	28
<i>Evidence of evolution—Evolutionary changes</i> <i>in animal assemblages—Branching of species</i> <i>—Extinction of animals—Patterns of evolu-</i> <i>tion—Rates of evolution</i>	
Fossil-bearing rock divisions . . . . .	35
References . . . . .	38
<b>2. FORAMINIFERA AND RADIOLARIA (LALICKER)</b> . . . . .	39
Foraminifera . . . . .	39
<i>Living animal—Life history—Test—Ecol-</i> <i>ogy—Classification—Geological distribu-</i> <i>tion</i>	
Larger Foraminifera . . . . .	60
<i>Fusulinids—Camerinids—Orbitoidids—Dis-</i> <i>cocyclinids—Miogypsinids—Ecology</i>	
Radiolaria . . . . .	72
<i>Skeletal structures—Physiological features</i>	
— <i>Classification—Geological distribu-</i> <i>tion and importance</i>	
Flagellates . . . . .	75
<i>Silicoflagellates — Coccoliths — Dinoflagel-</i> <i>lates</i>	
Tintinnids . . . . .	76
References . . . . .	76
<b>3. SPONGES AND SPONGELIKE FOSSILS (MOORE)</b> . . . . .	79
General characters . . . . .	79
Reproduction . . . . .	80
Fossil record . . . . .	81
Structural features . . . . .	81
<i>Soft parts—Skeleton</i>	
Classification . . . . .	87
Calcareous sponges . . . . .	89
Siliceous sponges . . . . .	91
Spongelike organisms . . . . .	93
<i>Pleospoges—Receptaculitids—Nidulites</i>	
References . . . . .	97
<b>4. COELENTERATES (MOORE)</b> . . . . .	99
Characters of representative modern coelenterates . . . . .	99
<i>Hydra, a simple hydrozoan—Obelia, a co-</i> <i>lonial hydrozoan—Metridium, an anthozoan</i>	
Classification . . . . .	103
Hydrozoans . . . . .	105
<i>Hydroids—Milleporids and stylasterids—</i> <i>Sphaeractiniids—Stromatoporids and labe-</i> <i>chiids</i>	
Scyphozoans . . . . .	109

Alcyonarians . . . . .	110	<i>gonaria and Pachyphyllum—Main groups and their geological occurrence—Evolutionary trends</i>	
Tabulate corals . . . . .	112		
<i>Schizocorals—Thallocorals</i>			
Zoantharians . . . . .	115	Heterocorals . . . . .	142
Rugose corals . . . . .	118	Scleractinian corals . . . . .	143
<i>Structures illustrated by Streptelasma and Lambecphyllum—Structures illustrated by Heritschia—Structures illustrated by Synaptophyllum—Structures illustrated by Hexa-</i>		<i>Morphological features—Main groups and evolutionary trends of scleractinians—Origin and geological history</i>	
		References . . . . .	153
<b>5. BRYOZOANS (MOORE)</b> . . . . .	156		
Anatomical features . . . . .	156	Skeletal features of main bryozoan groups	161
Collection and study of bryozoans . . . . .	158	<i>Trepostome bryozoans—Cryptostome bryozoans—Ctenostome bryozoans—Cyclostome bryozoans—Cheilostome bryozoans</i>	
<i>Preparation of thin sections—Interpretation of thin sections</i>		Geological distribution and importance .	193
Classification . . . . .	159	References . . . . .	195
<b>6. BRACHIOPODS (MOORE)</b> . . . . .	197		
Anatomical features . . . . .	199	Classification . . . . .	220
<i>Soft parts—Hard parts</i>		<i>Definition of main divisions—Significance of shell structure—Summary of classification</i>	
Reproduction and larval growth . . . . .	204	Inarticulate brachiopods . . . . .	221
Inarticulate shells . . . . .	205	<i>Atremates—Neotremates</i>	
<i>Morphological features</i>		Articulate brachiopods . . . . .	226
Articulate shells . . . . .	207	<i>Palaeotremates—Orthids—Terebratulids—Pentamerids—Triplesiids—Rhynchonellids—Strophomenids—Spiriferids</i>	
<i>Morphological features</i>		Geological distribution . . . . .	261
Shell growth . . . . .	213	References . . . . .	264
<i>Types of enlargement—Evolution of inter-areas</i>			
Shell form . . . . .	216		
Homeomorphy . . . . .	217		
<b>7. MOLLUSKS (MOORE)</b> . . . . .	268		
Classification . . . . .	269	Minor classes . . . . .	271
Anatomical features . . . . .	270	<i>Chitons—Scaphopods</i>	
<i>Soft parts—Hard parts</i>		References . . . . .	275
<b>8. GASTROPODS (MOORE)</b> . . . . .	276		
Soft parts . . . . .	277	<i>Archaeogastropods—Mesogastropods—Neogastropods</i>	
<i>Head—Viscera—Foot and mantle</i>		Opisthobranchs . . . . .	328
Hard parts . . . . .	279	<i>Pleurocoels—Pteropods</i>	
<i>Noncoiled shells—Coiled shells</i>		Pulmonates . . . . .	329
Classification . . . . .	287	<i>Basommatophorans—Stylommatophorans</i>	
Evolutionary trends . . . . .	290	Indirect paleontological evidence of gastropods . . . . .	332
Geological distribution . . . . .	296	References . . . . .	333
Amphigastropods . . . . .	297		
Prosobranchs . . . . .	301		
<b>9. CEPHALOPODS (FISCHER)</b> . . . . .	335		
Living cephalopods . . . . .	336	Nautiloid cephalopods . . . . .	345
<i>Loligo, a squid—Nautilus—Octopus</i>		<i>Kinds of nautiloids—Volboorthella—Ellesmeroceroids—Michelinoceroids—Ascoceroids—Oncoceroids—Endoceroids—Actinoceroids—Discosoroids—Nautilids—Geological history of nautiloid:</i>	
Geologic importance . . . . .	341		
Classification . . . . .	341		
Functions and development of shell . . . . .	343		

Ammonoid cephalopods . . . . .	361	<i>belemnoids—Function of the belemnoid shell</i> <i>—Geological history and evolutionary trends</i>	
<i>Goniatites—Variations of ammonoid shells</i> <i>—Geological history of ammonoids—Evolu-</i> <i>tionary trends—Life habits</i>		Sepioids . . . . .	393
Belemnoids . . . . .	388	Teuthoids . . . . .	394
<i>Megateuthis—Other belemnoids—Origin of</i>		Octopods . . . . .	395
<b>10. PELECYPODS (MOORE)</b> . . . . .	398	References . . . . .	395
Anatomical features . . . . .	400	Dysodonts . . . . .	423
<i>Soft parts—Shell</i>		<i>Pectinacea—Mytilacea—Pinnacea—Ostre-</i> <i>acea—Limacea—Dreissensiacea</i>	
Modes of life . . . . .	406	Heterodonts . . . . .	434
Reproduction and ontogeny . . . . .	407	<i>Cypricardiacea—Lucinacea—Cyrenacea</i>	
Classification . . . . .	409	Pachyodonts . . . . .	440
Palaeoconchs . . . . .	412	<i>Chamacea—Rudistacea</i>	
Taxodonts . . . . .	414	Desmodonts . . . . .	442
<i>Nuculacea—Arcacea</i>		<i>Anatinacea—Myacea—Adesmacea—Mac-</i> <i>tracea—Solenacea—Poromyacea</i>	
Schizodonts . . . . .	418	Evolutionary trends . . . . .	447
<i>Trigoniacea—Cardiniacea</i>		Geological distribution and importance .	450
Isodonts . . . . .	422	References . . . . .	450
<i>Spondylacea—Anomiacea</i>		<b>11. ANNELIDS AND OTHER WORMS (LALICKER, MOORE)</b> . . . . .	452
<b>11. ANNELIDS AND OTHER WORMS (LALICKER, MOORE)</b> . . . . .	452	Morphological features of annelids . . . . .	452
Morphological features of annelids . . . . .	452	<i>External features—Digestive, circulatory,</i> <i>and respiratory systems—Excretory and</i> <i>nervous systems—Reproductive organs</i>	
<i>External features—Digestive, circulatory,</i> <i>and respiratory systems—Excretory and</i> <i>nervous systems—Reproductive organs</i>		Geologic work of worms . . . . .	453
Geologic work of worms . . . . .	453	Classification . . . . .	454
Classification . . . . .	454	Conulariids . . . . .	458
<b>12. ARTHROPODS (MOORE)</b> . . . . .	463	<i>Morphological features—Kinds of conu-</i> <i>lariids—Ecologic association—Zoological</i> <i>affinities</i>	
Skeletal features . . . . .	464	References . . . . .	462
<i>Segmentation of body—Organization of body</i> <i>segments—Appendages</i>		Mode of life . . . . .	469
Growth stages . . . . .	467	Classification . . . . .	470
Physiological structures . . . . .	468	Geological distribution . . . . .	471
<i>Digestive, circulatory, and respiratory sys-</i> <i>tems—Nervous system and sense organs</i>		Pararthropods . . . . .	472
<b>13. TRILOBITES (MOORE)</b> . . . . .	475	References . . . . .	474
Structure of main skeletal divisions . . . . .	478	<i>Protoparians—Proparians—Opisthoparians</i> <i>—Hypoparians—Eodiscids—Agnostids</i>	
<i>Cephalon—Thorax—Pygidium</i>		Evolutionary trends of trilobites . . . . .	497
Internal anatomy . . . . .	484	<i>Primitive characters—Facial sutures—Gla-</i> <i>bella—Eyes—Thorax—Pygidium—Spi-</i> <i>nosity—General conclusions</i>	
Growth stages . . . . .	484	Geological distribution . . . . .	515
<i>Larval development—Attainment of adult</i> <i>characters</i>		Minor trilobitomorphs . . . . .	519
Classification . . . . .	486	References . . . . .	519
Character of main trilobite groups . . . . .	488	<b>14. OSTRACODES AND OTHER CRUSTACEANS (LALICKER, MOORE)</b> . . . . .	521
<b>14. OSTRACODES AND OTHER CRUSTACEANS (LALICKER, MOORE)</b> . . . . .	521	Characters of crustaceans . . . . .	521
Characters of crustaceans . . . . .	521	<i>Morphological features—Growth stages—</i> <i>Physiological features—Crustaceans as food</i>	
<i>Morphological features—Growth stages—</i> <i>Physiological features—Crustaceans as food</i>		Ostracodes . . . . .	526
Ostracodes . . . . .	526	<i>Hard parts—Orientation of shell—Growth</i> <i>stages—Appendages—Physiological features</i> <i>—Reproduction—Mode of life—Classifica-</i> <i>tion—Geological distribution and importance</i>	

Other crustaceans . . . . .	541	References . . . . .	550
<i>Branchiopods—Cirripeds—Malacostracans</i>			
<b>15. CHELICERATES, MYRIAPODS, AND INSECTS (MOORE)</b> . . . . .			552
Chelicerates . . . . .	552	<i>Diplopods—Chilopods</i>	
<i>Distinguishing features—Merostomes (Xiphosurans, Eurypterids)—Arachnids—Pycnogonids</i>		Insects . . . . .	567
Myriapods . . . . .	566	<i>Primitive wingless insects—Winged insects</i>	
		References . . . . .	572
<b>16. ECHINODERMS (MOORE)</b> . . . . .			574
Kinds of echinoderms . . . . .	577	Relationships . . . . .	580
Modes of life . . . . .	578	Geological distribution . . . . .	581
Larval development . . . . .	578	References . . . . .	581
<b>17. PRIMITIVE ATTACHED ECHINODERMS (MOORE)</b> . . . . .			582
Eocrinoids . . . . .	583	Blastoids . . . . .	594
Paracrinoids . . . . .	583	<i>Structural features of Pentremites—Geological record and evolutionary trends of blastoids</i>	
Carpoids . . . . .	585	References . . . . .	601
Edrioasteroids . . . . .	586		
Cystoids . . . . .	587		
<i>Cystoids bearing pore rhombs—Cystoids bearing paired pores—Evolution of cystoids</i>			
<b>18. CRINOIDS (MOORE)</b> . . . . .			604
Modern crinoids . . . . .	604	Flexible crinoids . . . . .	626
<i>Soft parts—Hard parts—Orientation</i>		Camerate crinoids . . . . .	628
Classification . . . . .	613	<i>General evolutionary trends—Diplobathrid camerates—Monobathrid camerates</i>	
Structures of fossil crinoids . . . . .	614	Articulate crinoids . . . . .	635
<i>Calyx—Dorsal cup—Ray system—Column</i>		<i>Stem-bearing forms—Free-swimming forms</i>	
Inadunate crinoids . . . . .	621	References . . . . .	650
<i>Disparid inadunates—Hybocrinid inadunates—Cladid inadunates</i>			
<b>19. HOLOTHUROIDS (FISCHER)</b> . . . . .			653
Morphology . . . . .	653	Geological distribution . . . . .	657
<i>Soft parts—Skeleton</i>		Relationships . . . . .	658
Life habits . . . . .	656	References . . . . .	658
Classification . . . . .	657		
<b>20. STARFISHES (FISCHER)</b> . . . . .			659
Classification of starfishes . . . . .	659	Ophiuroids . . . . .	665
Somasteroids . . . . .	659	<i>Structure—Mode of life—Geological distribution and evolution</i>	
Asteroids . . . . .	661	References . . . . .	674
<i>Structure of a sea star—Mode of life—Geological distribution and evolution</i>			
<b>21. ECHINOIDS (FISCHER)</b> . . . . .			675
Regular echinoids . . . . .	675	Irregular echinoids . . . . .	684
<i>Morphology—Orientation—Classification of regular echinoids—Structural variations of regular echinoids—Lepidocentroids—Melenchinoids—Cidaroids—Stirodonta—Aulodonts—Camarodonts</i>		<i>Main divisions of irregular echinoids—Holectypoids—Cassiduloids—Spatangoids—Clypeastroids</i>	
		Ecology and mode of life . . . . .	703

Geological history and importance. . . . .	709	affinities . . . . .	712
<i>Relationships and origin—Development of</i>		<i>Bothriocidaroids—Ophiocystids</i>	
<i>orders—Geological importance</i>		References . . . . .	713
Primitive eleutherozoans of uncertain			
<b>22. GRAPTOLITES AND PTEROBRANCHS (FISCHER)</b> . . . . .	<b>715</b>		
Relation of graptolites and pterobranchs	716	Graptolites . . . . .	718
<i>Rhabdopleura</i> , a representative ptero-		<i>Preservation and preparation—Dendroid</i>	
branch . . . . .	716	<i>graptolites—Tuboids, camaroids, and stolo-</i>	
Classification of protochordates . . . . .	717	<i>noids—Graptoloids</i>	
		References . . . . .	732
<b>23. CONODONTS (LALICKER)</b> . . . . .	<b>733</b>		
Sedimentary environment. . . . .	733	Orientation. . . . .	738
Classification . . . . .	733	References . . . . .	738
<i>Index</i> . . . . .			<b>739</b>