

Contents

| | | | |
|---|--------------|---|--------------|
| <i>Introduction to Midwifery</i> | xxv | Urinary Tract | 40 |
| 1. THE PELVIS AND BIRTH CANAL | 1-8 | 5. DIAGNOSIS OF PREGNANCY | 42-51 |
| The Pelvis | | Importance of Diagnosing Pregnancy | 42 |
| ☞ Bones, Dimensions, Inlet, Cavity, Outlet | 1 | Methods of Diagnosis | |
| ☞ Types of Pelvis, Clinical Pelvimetry | 5 | ☞ Clinical Evidences | 43 |
| The Birth Canal | | ☞ Lab Diagnosis-Human Chorionic Gonadotrophin (hCG) | 44 |
| ☞ Pelvic Floor | 6 | Diagnosis Trimester-wise (first, second, third) | 47 |
| ☞ Vagina | 6 | Differential Diagnosis | 49 |
| ☞ Vulva | 7 | Evidence of Former Pregnancy | 51 |
| 2. THE EMBRYO, FETUS AND FETOPELVIC RELATIONSHIPS | 9-22 | 6. ANTENATAL CARE | 52-63 |
| Definitions | 9 | Definition, History, Aims | 52 |
| The Pre-implantaion Embryo | | Antenatal Visits | |
| ☞ Embryologic Development-important events in weeks after conception | 11 | ☞ Fist visit-Plan, History, EDD, Examination, Grips | 53 |
| ☞ Fetal Circulation | 12 | ☞ ANC Investigations | 56 |
| Fetal Skull | 13 | ☞ High-risk Pregnancy | 58 |
| ☞ Fontanelles, Molding | 15 | ☞ Patterns of ANC Care | 58 |
| ☞ Caput Succedaneum, Cephalhematoma | 16 | Nutrition and Weight Gain in Pregnancy | 59 |
| Fetopelvic Relationships | 18 | General Advice to Mothers | 60 |
| Summary, Various Presentations and Diameters | 20 | Management of Common Symptoms in Pregnancy | 62 |
| Other Definitions | 20 | 7. FETAL ASSEMENT IN UTERO, ADVANCES IN FETAL MEDICINE | 64-92 |
| 3. THE PLACENTA AND MEMBRANES | 23-33 | Introduction, Fetal Medicine | 64 |
| Fetomaternal interaction, Placental Development | 23 | Indications for Assessment | 64 |
| Placental Structure, appearance | 26 | Methods of Assessment | |
| Functions of Placenta | 27 | ☞ Prenatal Diagnosis-Goals, Trimester-wise Screening for fetal anomalies | 65 |
| Anatomic Variants | 29 | ☞ PC-PNDT Act | 67 |
| Placental Circulation | 31 | ☞ Fetal Imaging-Ultrasound, MRI | 69 |
| The fetal Membranes-Chorion, Amnion | 31 | ☞ Genetics for Prenatal Diagnosis, PGD | 73 |
| 4. PHYSIOLOGY OF PREGNANCY | 32-41 | Fetal therapy, MFPR | 74 |
| Fetal Physiology | 32 | Determination of Fetal Maturity | 74 |
| Changes in | | Antermination Fetal Wellbeing | |
| ☞ Reproductive Organs (Uterus, Cervix, Vagina) | 32 | ☞ Principles, Fetal Movement Count | 76 |
| ☞ Cardiovascular System | 36 | ☞ USG, Biochemical | 76 |
| ☞ Coagulation System | 37 | ☞ Non Stress Test (NST) | 77 |
| ☞ Respiratory System, Blood Gases in Pregnancy | 37 | ☞ Contraction Stress Test (CST) | 78 |
| ☞ Gastrointestinal System | 38 | ☞ Biophysical Profile (BPP), Doppler | 80 |
| ☞ Skin, Skeletal System | 39 | ☞ Fetal Blood Sampling | 81 |
| ☞ Endocrine | 39 | Integrate approach to ANC Testing | 81 |
| Breast | 40 | Integrate Fetal Health | |
| | | ☞ Clinical | 83 |

| | | | |
|---|-----|--|-----|
| ☞ Electronic Fetal Monitoring (CTG) | 84 | ☞ Positions, Advantages, Disadvantages of BF, expression and storage | 132 |
| ☞ Biochemical Fetal Blood Sampling (FBS) | 85 | ☞ Breastfeeding policy | 133 |
| Specific Procedures | | ☞ Mothers with special needs | 134 |
| ☞ Amniocentesis | 87 | ☞ Drugs in lactation | 135 |
| ☞ Chorion Villus Sampling (CVS) | 89 | | |
| ☞ Cordocentesis of PUBS | 90 | | |
| ☞ Ultrasonograph (USG) | 91 | | |
| 8. NORMAL LABOR-I (PHYSIOLOGY, ONSET, MECHANISM, STAGES) 93-100 | | 11. ANEMIA IN PREGNANCY 136-156 | |
| Definitions, Stages, Physiology and Biochemistry of labor | 93 | Introduction, Incidence, Definition | 136 |
| Uterine Action in labor | 94 | Etiologic Classification | |
| Cervical Changes | 96 | ☞ Deficiency anemia | 136 |
| Onset of Labor, Mechanism | 96 | ☞ Hemorrhagic anemia | 137 |
| Physiology of the three stages of Labor | 97 | ☞ Hemolytic anemia | 137 |
| Mechanism of Labor | 98 | ☞ Physiologic anemia | 137 |
| | | Changes in Normal pregnancy, Iron and folate metabolism | 138 |
| | | Why anemia is common in India | 139 |
| | | Diet and Nutritional anemia | 139 |
| | | Effect of anemia on pregnancy, pregnancy on anemia | 140 |
| | | Clinical Features | 140 |
| | | Investigations | 140 |
| | | Management | |
| | | ☞ Principles, Prophylaxis | 142 |
| | | ☞ In labor | 143 |
| | | ☞ Oral iron preparations | 143 |
| | | ☞ Parenteral iron including iron sucrose | 145 |
| | | ☞ Which method to choose? | 150 |
| | | Postpartum anemia, Erythropoietin, Blood transfusion | 150 |
| | | Anemia non-responsive to iron | 151 |
| | | Differential Diagnosis of Microcytic Hypochromic anemia | 151 |
| | | Megaloblastic anemia | 151 |
| | | Hemoglobinopathies and Pregnancy | |
| | | ☞ Thalassemia | 153 |
| | | ☞ Sickling disorders | 154 |
| | | ☞ Prenatal diagnosis | 155 |
| 9. NORMAL LABOR - II (CLINICAL MANAGEMENT, PARTOGRAM, CARE OF NEWBORN) 101-120 | | 12. HYPERTENSIVE DISORDERS IN PREGNANCY 157-179 | |
| Diagnosis of labor, True versus false labor pains | 101 | Introduction, Incidence, Definitions | 157 |
| Best practices and policies for labor care | 101 | Criteria for Diagnosis, for Severity | 158 |
| Conduction of the three stages | 102 | Classification of PIH | 159 |
| First stage | | Pathogenesis and theories | 159 |
| ☞ Clinical management issues | 103 | Pathology | 161 |
| ☞ Record of progress | 104 | Tertiary Pathology, Complications of Preeclampsia | 162 |
| ☞ Partogram | 108 | Prophylaxis of PIH | 162 |
| ☞ Active management | 109 | Screening for PIH | 163 |
| Second Stage | | Investigations | 164 |
| ☞ Monitoring, management | 110 | Management | |
| ☞ Positions | 110 | ☞ Antenatal | 164 |
| ☞ Infection control | 111 | ☞ Strategy | 166 |
| Third stage | | ☞ Expectant Treatment | 166 |
| ☞ Signs of placental separation | 114 | ☞ Antihypertensive drugs | 167 |
| ☞ Clinical management, Brandt-Andrews method | 114 | ☞ Management of Severe Preeclampsia | 167 |
| ☞ Active management | 115 | | |
| Fourth Stage | 116 | | |
| Safe Motherhood, MMR | 116 | | |
| Care of Newborn, APGAR Score | 117 | | |
| Infection prevention | 119 | | |
| 10. POSTNATAL PERIOD AND CARE 121-135 | | | |
| SECTION A: The Normal Puerperium | | | |
| ☞ Definition, stages puerperium, Physiological changes in genital tract | 121 | | |
| ☞ Involution of other systems, Breast changes | 123 | | |
| ☞ Management of early puerperium | 123 | | |
| ☞ Minor ailments and their treatment | 125 | | |
| ☞ Discharge from hospital, PNC Visits and Wellbeing | 126 | | |
| Section B: Breast Feeding | | | |
| ☞ ANC Preparation for Breastfeeding | 128 | | |
| ☞ Colostrum | 129 | | |
| ☞ Exclusive BF, Principles, Breastfeeding Indicator | 129 | | |

| | | | |
|---|----------------|--|--|
| Eclampsia | | | |
| ☞ Definition, Incidence, Types | 168 | | |
| ☞ Typical fit, Differential diagnosis | 171 | | |
| ☞ Management of fits | 171 | | |
| ☞ Different Regimes for Convulsions | 172 | | |
| ☞ Obstetric management | 174 | | |
| ☞ Complications | 174 | | |
| Antepartum/ Intrapartum management, details for PGs | 176 | | |
| 13. CARDIAC DISEASES IN PREGNANCY | 180-193 | | |
| Introduction, incidence of RHD/ CHD | 180 | | |
| Physiologic changes in CVS | 180 | | |
| Diagnosis of Organic heart disease | | | |
| ☞ Burwell & Metcalfe criteria | 181 | | |
| ☞ NYHA Classification of Dyspnea | 181 | | |
| ☞ Warning signs | 182 | | |
| Types of Cardiac lesions in pregnancy | | | |
| ☞ Congenital (acyanotic, cyanotic) | 182 | | |
| ☞ Acquired (RHD, Others) | 182 | | |
| Investigations | 183 | | |
| Antenatal management | | | |
| ☞ Evaluation of suspected heart disease | 183 | | |
| ☞ Ambulatory/ OPD care | 184 | | |
| ☞ Indications for hospitalization | 186 | | |
| Management in labor, puerperium | 186 | | |
| Cardiac surgery in pregnancy | 186 | | |
| Role of anticoagulants | 189 | | |
| Complications of cardiac disease | 191 | | |
| Family planning | 191 | | |
| 14. ENDOCRINE DISORDERS IN PREGNANCY (DIABETES, THYROID DISEASE AND OTHERS) | 194-206 | | |
| SECTION A : Diabetes in Pregnancy | | | |
| Introduction, Definition | 194 | | |
| Classification | | | |
| ☞ NDDG | 194 | | |
| ☞ White's | 195 | | |
| Effect of pregnancy on DM | 196 | | |
| Effects of DM on pregnancy | 197 | | |
| Management of Pregestational Diabetes | | | |
| ☞ Prepregnancy | 197 | | |
| ☞ Target Glucose levels | 198 | | |
| ☞ Strategies for glucose control (diet, exercise, insulin) | 198 | | |
| ☞ Program of care | 198 | | |
| Management of Gestational DM | | | |
| ☞ Goals | 199 | | |
| ☞ Diagnosis | 199 | | |
| ☞ Screening, O'Sullivan's Test | 199 | | |
| ☞ Whom to screen | 200 | | |
| ☞ Oral Glucose Tolerance Test | 200 | | |
| ☞ Plan of care | 200 | | |
| ☞ Role of CS | 201 | | |
| Fetal and Neonatal complications | | | |
| ☞ Fetal abnormalities | 201 | | |
| ☞ Pederson hypothesis | 202 | | |
| ☞ Neonatal complications | 202 | | |
| Insulin therapy - details | 202 | | |
| Insulin analogues | 203 | | |
| SECTION B : Thyroid & Others | | | |
| Thyroid disorders | | | |
| Physiology | 204 | | |
| Thyroid function tests | 204 | | |
| Hyperthyroidism in pregnancy | 205 | | |
| ☞ Hypothyroidism in pregnancy | 205 | | |
| ☞ Postpartum thyroiditis | 205 | | |
| Pituitary adenomas | 206 | | |
| 15. RED CELL ALLOIMMUNIZATION (RH INCOMPATIBILITY, NEONATAL JAUNDICE, NON IMMUNE HYPERTENSION) | 207-226 | | |
| History | 207 | | |
| Definitions | | | |
| ☞ Alloimmunization | 207 | | |
| ☞ HDN, erythroblastosis fetalis | 207 | | |
| ☞ Hydrops fetalis | 208 | | |
| Incidence | 208 | | |
| Etiology of Erythroblastosis fetalis | | | |
| ☞ Rh incompatibility | 208 | | |
| ☞ ABO Incompatibility | 208 | | |
| ☞ Other antibodies | 208 | | |
| Mechanism of sensitization (modes, affecting factors) | 209 | | |
| Pathophysiology | 210 | | |
| Diagnosis and Investigations | | | |
| ☞ Routine ANC Screening, gudelines | 210 | | |
| ☞ Sensitized mother | 211 | | |
| ☞ Specific investigations | | | |
| ☐ Indirect Coom b's test | 212 | | |
| ☐ Amniocentesis | 213 | | |
| ☐ Fetoscopy 215 U PUBS | 215 | | |
| Management of Non-immunized Rh-negative woman | | | |
| ☞ Investigations, Doppler | 215 | | |
| ☞ In labor | 215 | | |
| ☞ Anti-D globulin prophylaxis | 216 | | |
| ☞ Prevention of sensitization | 217 | | |
| ☞ Kleihauer-Betke test 218 | | | |
| Management of sensitized Rh-negative woman | | | |
| ☞ Plan of care and serial antibody titers | 218 | | |
| ☞ Intrauterine transfusion | 218 | | |
| ☞ Plan for delivery | 219 | | |
| ☞ Care in labor | 220 | | |
| Neonatal Jaundice | | | |
| Evaluation | 221 | | |
| ☞ Physiological jaundice (features, mechanism, evaluation, management) | 221 | | |
| ☞ Approach to neonatal hyperbilirubinemia | 223 | | |
| ☞ Lab evaluation | 223 | | |

| | |
|---------------------------------------|-----|
| Non-Immune Hydrops Fetalis | 223 |
| Diagnostic work-up of Hydrops Fetalis | 225 |

16. INFECTIONS IN PREGNANCY 227-263

| | |
|-------------------------------|-----|
| Introduction | 227 |
| Acute infections in pregnancy | |
| ☞ Obstetric issues | 227 |
| ☞ Trimester of pregnancy | 228 |
| ☞ Factors affecting outcome | 228 |

SECTION A: Transplacental : Torch Group, Syphilis, HIV

| | |
|--|-----|
| Scrutiny for infections at Booking TORCH group | 228 |
| ☞ Toxoplasmosis | 229 |
| ☞ Rubella | 230 |
| ☞ Cytomegalovirus | 233 |
| ☞ Herpes virus | 234 |
| Varicella-Zoster infections | 236 |
| Human Parvovirus B19 | 237 |
| Human Papillomavirus | 237 |
| Syphilis | 238 |
| HIV-Human Immunodeficiency virus | |
| ☞ Organism, etiology, prevalence | 240 |
| ☞ Maternal infection | 240 |
| ☞ Vertical transmission | 241 |
| ☞ PPTCT / PMTCT Programs | 241 |
| ☞ Specific Antenatal care | 243 |
| ☞ Antiretroviral Prophylaxis and Treatment | 243 |
| ☞ Intrapartum care | 244 |
| ☞ Recommendations for feeding | 244 |
| ☞ Summary of care | 246 |

SECTION B: Others: Urinary, Malaria, Tuberculosis, Hepatitis, Streptococcal, Leueorrhoea

| | |
|---|-----|
| Urinary Tract Infections | |
| ☞ Asymptomatic bacteriuria | 247 |
| ☞ Symptomatic infections | 247 |
| Tuberculosis | |
| ☞ Effect of TB on pregnancy | 248 |
| ☞ Effect of pregnancy on TB | 248 |
| ☞ Diagnosis | |
| ☐ Maternal TB | 249 |
| ☐ Fetal infection | 250 |
| ☞ Treatment | |
| ☐ RNTCP Guidelines | 251 |
| ☐ Obstetric management 2 | 251 |
| ☐ Neonatal TB | 252 |
| Malaria | |
| ☞ Organism, Epidemiology, Pathogenesis | 253 |
| ☞ Clinical features in pregnancy, outcome | 253 |
| ☞ Differential diagnosis, Investigations | 254 |
| ☞ Management in pregnancy | |
| ☐ Prevention, general measures | 254 |
| ☐ Drug treatment | 254 |

| | |
|--|-----|
| ☐ P. vivax, P. falciparum | 255 |
| ☞ Congenital malaria, transmission Hepatitis | 255 |
| ☞ Organisms, Differential diagnosis | 256 |
| ☞ Clinical features and Diagnosis | |
| ☐ HAV, HBV, HEV | 256 |
| ☞ Treatment | 257 |
| Streptococcal infections | |
| ☞ Groups A, B, D | 258 |
| ☞ Pathogenesis, Manifestations | 259 |
| ☞ Diagnosis, Treatment | 259 |
| Leucorrhoea in Pregnancy | 259 |
| Swine Flu in pregnancy | 261 |

17. OTHER DISEASES IN PREGNANCY (RETROVERTED GRAVID UTERUS, PROLAPSE, ACUTE RENAL FAILURE, ABDOMINAL PAIN) 264-272

| | |
|---|-----|
| Retroverted Gravid Uterus | |
| ☞ Incidence, Types, Degrees | 264 |
| ☞ Course, symptomatic cases | 264 |
| ☞ Diagnosis, treatment | 265 |
| Prolapse in Pregnancy | |
| ☞ Types | 266 |
| ☞ Clinical features, Differential diagnosis | 266 |
| ☞ Treatment — pessary, surgical | 266 |
| Acute Renal Failure in Obstetrics | |
| ☞ Definition, incidence, presentation | 267 |
| ☞ Etiology, pathophysiology | |
| ☐ Prerenal | 268 |
| ☐ Renal causes | 269 |
| ☞ Evaluation, Investigations | 269 |
| ☞ Management, Prognosis of Prerenal failure, ATN, BCN | 270 |
| Abdominal Pain in pregnancy | |
| ☞ Causes depending on GA - Pelvic, extrapelvic | 271 |
| ☞ Diagnosis and treatment | 271 |

18. ABORTION 273-285

| | |
|---|-----|
| Introduction - miscarriages, induced or therapeutic abortions | 273 |
| Definitions, concept of viability, incidence | 273 |
| Types of abortion | 274 |
| Etiology of spontaneous abortions | |
| ☞ Early/first-trimester | 275 |
| ☞ Late/second trimester | 277 |
| Clinical Types | |
| ☞ Threatened, inevitable, missed | 278 |
| ☞ Incomplete, complete, septic | 278 |
| ☞ Missed abortion | 280 |
| Investigations (UPT, f-hCG, USG) | 280 |
| Differential diagnosis of first trimester bleeding | 281 |
| Prophylaxis | 281 |
| Treatment - depending on types | 281 |
| Complications (early, late) | 283 |
| Sex-selective abortions | 285 |

| | | | |
|---|----------------|--|----------------|
| 19. ECTOPIC PREGNANCY | 286-302 | Persistent trophoblastic disease (PMTD) | |
| Definition, Incidence | 286 | ☞ Clinical Choriomatosis | 312 |
| Types of EP, criteria for diagnosis | | ☞ Prophylactic chemotherapy | 312 |
| ☞ Tubal | 286 | ☞ Goldstein's score | 312 |
| ☞ Ovarian | 287 | FIGO Staging of GTT | 314 |
| ☞ Cervical | 287 | Malignant GTD | |
| ☞ Abdominal | 287 | ☞ Nonmetastatic, Metastatic | 314 |
| Etiology, Clinical features | 289 | ☞ Hammond's prognostic classification | 314 |
| Diagnosis and Investigations | | ☞ WHO GTD Prognostic score | 314 |
| ☞ Clinical | 290 | ☞ Single agent chemotherapy | |
| ☞ UPT and Serum it-hCG | 290 | ☐ Methotrexate | 315 |
| ☞ USG, Correlation with Serum p-hCG | 292 | ☐ Actinomycin D | 315 |
| ☞ Culdocentesis, DnC, EUA | 293 | ☞ Multiagent chemotherapy | |
| ☞ Laparoscopy | 295 | ☐ MAC Regime | 316 |
| Differential Diagnosis, Unruptured Ectopic 295 Algorithm for Management | 295 | ☐ CHAMOMA, EMA-CO etc | 316 |
| Treatment of EP | | Role of Surgery in GTT | 316 |
| ☞ Observation and Conservation | 297 | Other Treatment modalities | 317 |
| ☞ Medical Management | | 21. ANTEPARTUM HEMORRHAGE | 318-339 |
| ☐ Advantages | 297 | Introduction, Incidence, Etiology of APH | 318 |
| ☐ Eligibility criteria | 298 | Differential diagnosis of third-trimester bleeding | 319 |
| ☐ Contraindications, need for surgery | 298 | APH: initial evaluation and stabilization | 319 |
| ☞ Conservative surgery for unruptured EP | | Practical management tips (details for PGs) | 321 |
| ☐ Salpingotomy, salpingostomy | 298 | SECTION A: Placenta Previa | |
| ☐ Milking, Segmental resection | 299 | ☞ Definition, Incidence | 323 |
| ☐ Other methods for different sites | 299 | ☞ Types/ Degrees | 323 |
| ☞ Radical surgery | | ☞ Etiology, clinical features | 323 |
| ☐ Salpingectomy, Coffey's repair | 299 | ☞ Diagnosis, Differential diagnosis | 325 |
| ☐ Other methods for different sites | 299 | ☞ ANC Management | 326 |
| Ruptured ectopic, general measures | 301 | ☞ Complications | 326 |
| Persistent EP | 301 | ☞ Evaluation of Bleeding and management | |
| | | ☐ Mild, Moderate, Severe | 328 |
| 20. GESTATIONAL TROPHOBLASTIC TUMORS | 303-317 | SECTION B: Abruptio Placenta | |
| Definitions - GTT, V Mole, Choriocarcinoma, PSTT | 303 | ☞ Synonyms, Definition | 329 |
| Pathogenesis, Incidence, Etiology | 303 | ☞ Historical development | 329 |
| Histopathology and Differential diagnosis | | ☞ Incidence, Etiology, Pathophysiology | 329 |
| ☞ Vesicular mole | 304 | ☞ Clinical Features and Grading | 330 |
| ☞ Choriocarcinoma | 305 | ☞ Types of Abruptio | |
| Clinical Classification of GTT | 306 | ☐ Revealed | 332 |
| Hydatidiform Mole | | ☐ Concealed | 332 |
| ☞ Types (Complete, Partial) | 306 | ☐ Mixed | 332 |
| ☞ Symptoms | 306 | ☞ Diagnosis, Management | 332 |
| ☞ Complications | 307 | ☞ Couvelaire Uterus | 333 |
| ☞ Diagnosis | | ☞ Therapeutic plan: Dilemmas and details (for PGs) | 333 |
| ☐ Clinical | 308 | ☞ Complications | 336 |
| ☐ USG | 309 | SECTION C: Vasa Previa etc. | |
| ☐ α -hCG | 309 | ☞ Incidence, Pathology, Diagnosis | 337 |
| ☐ Other tests | 309 | ☞ Prediction, antepartum diagnosis | 337 |
| ☞ Management | | ☞ SOGC Guidelines (details for PGs) | 337 |
| ☐ Medical induction | 310 | Medicolegal pitfalls | 338 |
| ☐ Surgical removal | 310 | | |
| ☐ Follow-up | 311 | | |

| | | | |
|---|----------------|--|--|
| 22. SECTION A : BAD OBSTETRIC HISTORY, RECURRENT PREGNANCY LOSSES, HIGH RISK PREGNANCY | 340-358 | | |
| Definitions, explanation of terms | 340 | | |
| Etiology of Recurrent fetal loss | | | |
| ☞ Early | 341 | | |
| ☞ Late (2nd and 3rd trimester) | 341 | | |
| Clinical evaluation | 342 | | |
| Investigations | | | |
| ☞ In non-pregnant state | 343 | | |
| ☞ In pregnancy | 343 | | |
| Management of BOH | 345 | | |
| Specific Causes and Management | | | |
| ☞ Genetic causes | 344 | | |
| ☞ Infective agents, TORCH | 346 | | |
| ☞ Inherited thrombophilias | 347 | | |
| ☞ APLA / APS | 348 | | |
| ☞ Endocrine disorders | 349 | | |
| ☞ Immunological/ alloimmune | 350 | | |
| ☞ Drugs, chemicals, toxins | 351 | | |
| ☞ Anatomic factors for RPL | 351 | | |
| Incompetent Cervix | 353 | | |
| High-Risk pregnancy | 355 | | |
| SECTION B: Pregnancies at Extremes of Age | 358-363 | | |
| Adolescent / Teen pregnancies | | | |
| Factors and Outcomes in Developing nations | 359 | | |
| Pregnancies in elder age group | 361 | | |
| Fetal assessment | 363 | | |
| 23. PTL/PROM | 364-378 | | |
| Definitions - Preterm, LBW, PROM, PPROM | 364 | | |
| SECTION A: Preterm Labor, Premature Baby | | | |
| Incidence, Diagnosis, Etiology | 364 | | |
| Prevention and Prediction | 366 | | |
| Newer Techniques (HUAM, FFN, Cervical USG) | 366 | | |
| Treatment | | | |
| ☞ Initial evaluation | 368 | | |
| ☞ Steroid therapy | 368 | | |
| ☞ Tocolytic agents | 369 | | |
| ☞ Progesterone | 370 | | |
| ☞ Newer agents | 370 | | |
| Inevitable PTL, Management | 371 | | |
| Complications | 371 | | |
| Premature Infant | 372 | | |
| SECTION B: Prelabor Rupture of Membranes | | | |
| Definition, Etiology, Diagnosis | 374 | | |
| Complications of PROM | 374 | | |
| Investigations | 375 | | |
| Term PROM, Management | 375 | | |
| PPROM, Management | 377 | | |
| 24. INTRAUTERINE GROWTH RESTRICTION (IUR) | 397-393 | | |
| Normal Fetal Growth | 379 | | |
| Definitions | 379 | | |
| Small for Gestational Age (SGA) | 380 | | |
| Incidence, Mechanisms, Etiology | | | |
| Type I Symmetric | 383 | | |
| Type II Asymmetric | 383 | | |
| Diagnosis - FH, USG, Doppler | 384 | | |
| Antenatal Management | | | |
| Patients at risk for IUGR | 385 | | |
| Patients with clinical evidence of IUGR | 385 | | |
| Management in Labor | 387 | | |
| Care of Neonate | 391 | | |
| Neonatal complications | 391 | | |
| 25. TWINS, MULTIPLE GESTATION | 394-405 | | |
| Definition, Classification | | | |
| ☞ Monozygous, Dizygous | 395 | | |
| ☞ Placentation | 395 | | |
| Incidence, Factors affecting incidence | 396 | | |
| Effects of Multiple Gestation | | | |
| ☞ Maternal Effects of twins | 398 | | |
| ☞ Maternal Risks of higher-order multiples | 398 | | |
| ☞ Fetal problems of Twins | 398 | | |
| ☞ Monochorionic Twins, TTTS | 399 | | |
| ☞ Fetal risks of higher-order multiples | | | |
| ☐ Growth discordance | 399 | | |
| ☐ Multifetal pregnancy reduction | 400 | | |
| ☐ Prenatal diagnosis | 400 | | |
| ☐ Intrauterine demise of one | 401 | | |
| ☐ PPROM | 401 | | |
| Antenatal Management | 401 | | |
| Management in Labor | 402 | | |
| Management after birth of first, delivery of second twin | 404 | | |
| 26. INDUCTION OF LABOR, POSTDATISM, OXYTOCICS | 406-420 | | |
| Definitions, History | 406 | | |
| Methods available | | | |
| ☞ Physical/ mechanical | 407 | | |
| ☞ Chemical/ oxytocic agents | 407 | | |
| Indications | | | |
| ☞ Maternal | 408 | | |
| ☞ Fetal | 408 | | |
| Procedure for Induction, Bishop's score | 408 | | |
| ARM - timing, role of, disadvantages | 410 | | |
| Oxytocic Drugs | | | |
| ☞ Oxytocin and analogues | 411 | | |
| ☞ Prostaglandins | 412 | | |
| ☞ Comparison of Oxytocics | 415 | | |
| ☞ Newer drugs - Misoprostol | 415 | | |

| | | | |
|---|----------------|--|--|
| Postdatism | | | |
| ☞ Definition, Incidence, Causes | 417 | | |
| ☞ Changes of prolonged pregnancy, Hazards | 418 | | |
| ☞ Monitoring, Intrapartum care | 418 | | |
| 27. AMNIOTIC FLUID & ABNORMALITIES ; UTERUS LARGE / SMALL FOR DATES, AMNIOTIC FLUID EMBOLISM (AFE) | 421-429 | | |
| Development, Source, Volume, Uses of AF | 421 | | |
| Polyhydramnios / Hydramnios | | | |
| ☞ Definition, Incidence, Etiology | 422 | | |
| ☞ Clinical Features- Acute, Chronic | 422 | | |
| ☞ Symptoms, Signs, Investigations | 422 | | |
| ☞ Management | | | |
| ☐ In pregnancy | 423 | | |
| ☐ Intrapartum | 424 | | |
| Differential Diagnosis of Large for Dates | | | |
| Uterus | 425 | | |
| Oligohydramnios | | | |
| ☞ Definition, Etiology, Diagnosis | 425 | | |
| ☞ Management | 426 | | |
| ☞ Differential Diagnosis, Small for Dates | 427 | | |
| Amniotic Fluid Embolism (AFE) | | | |
| ☞ Definition, Etiology, Incidence | 427 | | |
| ☞ Diagnosis, Management | 428 | | |
| 28. FETAL DEATH IN UTERO | 430-440 | | |
| Definitions - IUFD, Missed abortion | 430 | | |
| Classification | 430 | | |
| PNMR | 431 | | |
| Incidence, Causes, Diagnosis | | | |
| ☞ Tests to diagnose fetal demise | 434 | | |
| ☞ Tests to evaluate fetal demise | 435 | | |
| Management | | | |
| Protocol for Evaluation | 437 | | |
| Management of Future pregnancy | 439 | | |
| 29. CEPHALOPELVIC DISPROPORTION, CON- TRACTED PELVIS, TRIAL OF LABOR | 441-445 | | |
| Definitions, Incidence, Etiology | 441 | | |
| Diagnosis | | | |
| ☞ History, Examination | 442 | | |
| ☞ Head fitting tests | 443 | | |
| ☞ Pelvimetry - Clinical, X-ray | 443 | | |
| ☞ USG, CT | 445 | | |
| Inlet, Midpelvic, Outlet CPD | 446 | | |
| Mechanism of labor in CPD, Pelvic types | 447 | | |
| Antenatal Management | 449 | | |
| Trial of Labor | | | |
| ☞ Definition, Principle, Selection | 449 | | |
| ☞ Conduct, duration, nonprogress | 450 | | |
| ☞ Advantages, disadvantages of Trial | 454 | | |
| Management in Labor | 455 | | |
| 30. OCCIPITOPOSTERIOR | 456-463 | | |
| Definition, Incidence | 456 | | |
| Etiology - Passenger, Passage, Power | 457 | | |
| Diagnosis - Antenatal, In labor | 456 | | |
| Mechanism of Labor, Outcomes | 458 | | |
| Management - ANC, In Labor | 460 | | |
| Complications | 461 | | |
| 31. FACE | 464-470 | | |
| Definition, Incidence | 464 | | |
| Etiology - Passenger, Passage, Power | 464 | | |
| Diagnosis - Antenatal, In labor, X-ray, USG | 465 | | |
| Management of Mentoanterior- ANC, In Labor | 466 | | |
| Non progress in Labor | 467 | | |
| Mechanism of Labor, LMA | 470 | | |
| Difficulties & Complications | 470 | | |
| 32. TRANSVERSE LIE | 471-475 | | |
| Definition, Incidence | 471 | | |
| Etiology - Passenger, Passage, Power | 471 | | |
| Diagnosis - Abdominal, Vaginal, Investigations | 472 | | |
| Mechanism of Labor, Outcomes | 473 | | |
| Complications | 473 | | |
| Management - ANC, In Labor | 473 | | |
| Neglected Transverse Lie | 474 | | |
| 33. BREECH PRESENTATION | 476-487 | | |
| Definition, Types, Incidence | 476 | | |
| Etiology - Maternal, Placental, Fetal | 477 | | |
| Diagnosis - Antenatal, In labor | 477 | | |
| Investigations | 478 | | |
| Mechanism of Labor, RSA | 479 | | |
| Types of Breech delivery | 480 | | |
| ANC Management | | | |
| ☞ Role of External Cephalic Version | 481 | | |
| Management In Labor | 482 | | |
| Cesarean Section or Vaginal Delivery? | 483 | | |
| Guidelines (details for PGs) | 483 | | |
| Abnormal Breech Delivery, Breech Extraction | 485 | | |
| Complications, PNMR in breech | 487 | | |
| 34. SECTION A: BROW | 488-493 | | |
| Definition, Incidence | 491 | | |
| Etiology - Passenger, Passage, Power | 491 | | |
| Diagnosis - Antenatal, In labor | 491 | | |
| Mechanism of Labor, Outcomes | 492 | | |
| Management - ANC, In Labor | 492 | | |
| SECTION B: Compound Presentation | 493-494 | | |
| Definition, Incidence, Etiology | 493 | | |
| Diagnosis, Management | 494 | | |
| SECTION C: Cord Prolapse 494-499 | | | |
| Normal Umbilical Cord | 494 | | |
| Abnormalities of cord | 496 | | |
| Definition, Incidence, Etiology | 496 | | |

| | | | |
|--|----------------|---|----------------|
| Diagnosis | | ☞ Litigation, Medicolegal aspects | 530 |
| ☞ Occult, Cord presentation, Cord Prolapse | 496 | Respiratory Distress in Newborn | |
| Management, Cord Presentation | 497 | ☞ Etiology, signs | 530 |
| Management, Cord Prolapse | 497 | ☞ Management | 530 |
| 35. ABNORMAL UTERINE ACTION | 500-512 | Infant of Diabetic mother | 531 |
| Definition, Dystocia, Etiology | 500 | Bleeding in newborn | 531 |
| Prevention, General Plan of Management | 501 | Infections | 532 |
| Classification | | Congenital abnormalities | 533 |
| ☞ Jeffcoate's clinical classification | 502 | Skin care in Neonates | 538 |
| ☞ Friedman's classification, Partogram | 502 | 38. OBSTETRIC DISASTERS | 539-556 |
| Hazards associated with Dystocia | | SECTION A: Rupture Uterus | |
| ☞ Maternal | 504 | Incidence | 539 |
| ☞ Fetal | 504 | Types | 539 |
| ☞ Medicolegal | 504 | Etiology | 540 |
| Hypotonic Uterine Activity or Inertia | | Upper segment versus lower segment rupture | 540 |
| ☞ Causes, C/F, Diagnosis, Treatment | 505 | Clinical features, Diagnosis in different types | 544 |
| Hypertonic uterine action | | Management | 544 |
| ☞ Tonically contracted | 507 | Prognosis, Prevention | 546 |
| ☞ Constriction ring | 508 | Recommendations for VBAC | 548 |
| ☞ Precipitate labor | 509 | SECTION B: Obstructed Labor | |
| Cervical Dystocia | | Introduction, Incidence | 549 |
| ☞ Primary | 510 | Pathophysiology, Prevention | 550 |
| ☞ Secondary | 510 | Management | 551 |
| 36. ABNORMAL THIRD STAGE OF LABOR (Retained Placenta, Placenta Accreta, Uterine Inversion, Postpartum Collapse) | 513-525 | SECTION C : Maternal Mortality | |
| Abnormalities of Third stage | 513 | Introduction, Definition | 552 |
| Retained Placenta | | Indian scenario, Global scenario | 553 |
| ☞ Definition, Etiology | 514 | Reduction of maternal deaths, WHO | |
| ☞ Management, Action plan | 515 | Classification | 553 |
| ☞ Manual Removal of Placenta | 515 | Strategies to reduce MMR | 555 |
| Placenta Accreta | | 39. POST PARTUM HEMORRHAGE | 557-569 |
| ☞ Definition, Types | 517 | Definition, Incidence | 557 |
| ☐ Accreta, Increta, Percreta | 517 | Types | 557 |
| ☞ Etiology | 518 | Causes, Primary PPH | |
| ☞ Management, Prognosis | 519 | Atonic | 558 |
| Inversion of the Uterus | | ☞ Traumatic | 559 |
| ☞ Definition, Incidence, Etiology | 519 | ☞ Mixed | 559 |
| ☞ Types / Degrees | 522 | ☞ Bleeding disorders | 559 |
| ☞ Clinical features, Differential Diagnosis | 522 | Causes, Secondary PPH | 559 |
| ☞ Management | | Prevention / Prophylaxis | 559 |
| ☐ Acute case, Chronic case | 524 | Diagnosis and Investigations | 560 |
| 37. THE ABNORMAL NEWBORN | 526-538 | Treatment | |
| Types of abnormalities seen | 526 | ☞ Supportive / Resuscitative measures | 561 |
| Birth Asphyxia | | ☞ Recognition and Management | 562 |
| ☞ Incidence, Epidemiology | 527 | ☞ Surgical Methods including B-Lynch | 564 |
| ☞ Predictors of BA | | Drugs for PPH including Misoprostol | 566 |
| ☐ Measures of Infant's status | 527 | Blood Components | 567 |
| ☐ Intra partum indicators | 528 | Late / Secondary PPH | 567 |
| ☐ Clinical situations | 528 | 40. THE ABNORMAL PUERPERIUM | 570-584 |
| ☞ Pathophysiology, Prevention | 529 | Puerperal Infections | |
| ☞ Investigations, Audit | 529 | ☞ Definitions, History | 570 |
| | | ☞ Predisposing factors | 570 |
| | | ☞ Pathology, Bacteriology | 571 |

| | | | |
|--|----------------|---|----------------|
| ☞ Diagnosis and Investigations of Puerperal sepsis | 572 | SECTION B : Cerclage (OS Tightening) | |
| ☞ Types of infection and treatment | 573 | Definition, History | 611 |
| ☞ Differential Diagnosis of Puerperal fever | 574 | Types of Operations | 611 |
| Diseases of the Uterus | | Indications, Contraindications | 612 |
| ☞ Subinvolution | 574 | Pre-procedure preparation | 612 |
| ☞ Cervical erosion | 575 | Procedure | 613 |
| ☞ Relaxed vaginal outlet, prolapse | 576 | Post-operative care, Complications | 613 |
| Thromboembolic Disease | | Shirodkar's cerclage | 613 |
| ☞ Pathophysiology, Risk factors | 577 | McDonald's cerclage | 615 |
| ☞ DVT, Pulmonary embolism | 578 | Choice of operations | 615 |
| ☞ Thromboprophylaxis | 578 | 44. PROCEDURES IN LATE PREGNANCY | 617-626 |
| Hemorrhages - Hematomas, Late PPH | 579 | SECTION A: Version | |
| Urinary Tract Disorders | 579 | Definition, Types | 617 |
| Psychological Problems | | External Cephalic Version | |
| ☞ Baby blues | 580 | ☞ Indications | 617 |
| ☞ Postnatal depression | 580 | ☞ Timing | 617 |
| ☞ Postpartum psychosis | 580 | ☞ Prerequisites | 617 |
| Diseases of the Nipple and Breast | | ☞ Procedure | 618 |
| ☞ Sore nipples | 580 | ☞ Post-procedure, Complications | 618 |
| ☞ Inverted nipples | 581 | Internal Podalic Version | |
| ☞ Engorged breasts | 581 | ☞ Indications | 619 |
| ☞ Galactocoele | 581 | ☞ Prerequisites | 619 |
| ☞ Mastitis, Breast abscess | 582 | ☞ Procedure | 620 |
| Suppression of Lactation | 583 | ☞ Complications | 620 |
| 41. PAIN RELIEF IN OBSTETRICS | 583-596 | Bipolar Version | |
| Introduction, History | 585 | ☞ Indications | 620 |
| Pain pathways | 586 | ☞ Procedure | 620 |
| Maternal and fetal effects of unrelieved pain | 587 | ☞ Risks | 621 |
| Types of procedures needing pain relief | | SECTION B : Destructive Operations | |
| ☞ In pregnancy | 587 | Indications | 621 |
| ☞ In labor | 587 | Prerequisites | 621 |
| ☞ Post-partum pain relief | 587 | Types of Procedures | 622 |
| Parenteral Agents | 588 | Procedures | 624 |
| Local Nerve Blocks | 588 | Instruments | 624 |
| Epidural Analgesia | 588 | Complications | 625 |
| Spinal plus Epidural (CSE- Combined Spinal Epidural) | 589 | 45. OPERATIVE VAGINAL BIRTH | 627-641 |
| Procedure 591 Complications of regional blocks | 591 | SECTION A: Forceps | |
| Special situations and Problems with Anesthesia | 593 | Introduction, History | 627 |
| 42. SHOULDER DYSTOCIA | 597-601 | Parts | 627 |
| Definition, Incidence | 597 | Classification / Types of Forceps | 628 |
| Normal mechanism of shoulders, Impaction | 597 | Application of Forceps | 631 |
| Clinical features, Prediction | 598 | Indications | 632 |
| Management | 598 | Prerequisites | 631 |
| Complications | 600 | Procedure | 632 |
| 43. MINOR PROCEDURES | 602-616 | Post-procedure | 632 |
| SECTION A: Termination of Pregnancy -check | | Complications | 635 |
| curettage, suction evacuation, Aspirotomy, | | SECTION B: Vacuum | |
| Hysterotomy | | Definition, History | 637 |
| Check Curettage | 602 | Indications, Contraindications | 637 |
| Suction Evacuation | 604 | Apparatus, types of cups | 637 |
| Manual Vacuum Aspiration (MVA) | 608 | Mechanism of action | 639 |
| Aspirotomy | 609 | Procedure | 639 |
| Hysterotomy | 610 | | |

| | | | |
|---|----------------|---|----------------|
| Complications | 640 | Uterine Incisions | 659 |
| Advantages of Vacuum over Forceps | 640 | Upper segment versus lower segment scars | 659 |
| Advantages of Forceps over Vacuum | 640 | Repeat CS, Difficulties | 660 |
| 46. PERINEAL REPAIR: EPISIOTOMY, PERINEAL TEARS, CERVICAL TEAR | 642-650 | SECTION B: Surgical Details | |
| Episiotomy | | Baby delivery Techniques | 661 |
| ☞ Indications | 642 | Placental delivery | 663 |
| ☞ Timing | 642 | Closure | 663 |
| ☞ Advantages | 643 | Special situations | 664 |
| ☞ Types | 643 | Intra-operative problems and management | 665 |
| ☞ Procedure, Repair | 643 | Repeat CS, Surgical technique | 667 |
| ☞ Post-procedure care | 643 | Postmortem CS | 668 |
| ☞ Complications | 644 | Extraperitoneal CS | 668 |
| Perineal Tears | | SECTION C: Vaginal Birth After cesarean (VBAC) | |
| ☞ Types | 645 | Craigin's dictum | 669 |
| ☞ Predisposing factors | 646 | VBAC | |
| ☞ Repair procedure | 647 | ☞ Prerequisites | 670 |
| ☞ Suture, techniques, after-care | 647 | ☞ Contraindications | 671 |
| Cervical Tears | | ☞ Procedure, monitoring | 671 |
| ☞ Types, Diagnosis, Repair | 649 | ☞ Risks of rupture | 671 |
| 47. CESAREAN SECTION & VBAC | 651-674 | ☞ Complications | 671 |
| SECTION A: Cesarean Section - Basics | | ☞ Recommendations | 672 |
| Definition, History | 651 | Medicolegal issues of VBAC & Operative vaginal births | 672 |
| Indications | 651 | Elective CS on demand | 673 |
| Incidence, Controlling CS rates | 653 | 48. FAMILY WELFARE PROGRAMS | 675-700 |
| Types of Skin Incisions | 654 | 49. INSTRUMENTS | 701-710 |